

CARTRIDGE BILGE PUMPS and AERATOR PUMPS

Albin Pump Marine introduces a series of submersible Cartridge Bilge pumps and Aerator Pumps that are designed with the latest technology in order to meet with the requirements and standards from the marine industries: Sport fishing, racing, cruising as well as commercial duties.

The series is based on the well proven APM 12/24V motors for capacities 500 GPH, 750 GPH & 1100 GPH

- Easy to install
- Detachable-port connections
- Straight and 90 deg elbow hose connections
- Easy to clean
- Replaceable Cartridge Motor
- Stainless steel shaft
- Tough Termoplastic Housing
- Seawater resistant shaft seal

Albin Pump Marine Cartridge Submersible Bilge Pumps series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|---------------------------------------|--------------------|-----------------------|----------|-----------|--------------|
| 01-02-002 | Cartridge Bilge Pump 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-02-003 | Cartridge Bilge Pump 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-02-004 | Cartridge Bilge Pump 750 GPH 24V | 750 GPH - 50l/min | 660 GPH - 42l/min | 1.5 A | 5 A | 3/4" |
| 01-02-005 | Cartridge Bilge Pump 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-02-006 | Cartridge Bilge Pump 1100 GPH 24V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 2.5 A | 5 A | 1 1/8" fixed |
| 01-02-007 | Cartridge Bilge Pump Low 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-02-008 | Cartridge Bilge Pump Low 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |

Albin Pump Marine Cartridge Aerator Pumps series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|--|--------------------|-----------------------|----------|-----------|--------------|
| 01-05-078 | Cartridge Aerator Pump Angled 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-080 | Cartridge Aerator Pump Angled 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-082 | Cartridge Aerator Pump Angled 1100 GPH 24V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-077 | Cartridge Aerator Pump Straight 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-079 | Cartridge Aerator Pump Straight 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-081 | Cartridge Aerator Pump Straight 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-074 | Twinport Aerator Pump 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-075 | Twinport Aerator Pump 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-076 | Twinport Aerator Pump 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |



Albin Pump Marine LLC
USA Main Office 13280 SW 131 St. Suite 108 Miami, FL 33186
CT Office 52 Craigmoor Rd West Hartford, CT 06107
 Phone: 860-670-1632
 Fax : 860-967-0703
 brad.burton@albinpumpmarine.com
 www.albinpumpmarine.com



Albin Pump Marine AB
Head Office
 Mogölsvägen 16
 555 93 Jönköping
 Sweden
 Mobile phone: +46 (0)730 336 760
 olle.jonsson@albinpumpmarine.com
 www.albinpumpmarine.com

CARTRIDGE BILGE PUMPS and AERATOR PUMPS

Albin Pump Marine introduces a series of submersible Cartridge Bilge pumps and Aerator Pumps that are designed with the latest technology in order to meet the requirements and standards for the marine industry. Sport fishing, water sports, cruising as well as commercial duties.

The series is based on the well-proven APM 12/24V motors for capacities 500 GPH, 750 GPH & 1100 GPH

- Easy to install
- Detachable-port connections
- Straight and 90 deg elbow hose connections
- Easy to clean
- Replaceable Cartridge Motor
- Stainless steel shaft
- Tough Thermoplastic Housing
- Seawater resistant shaft seal

Albin Pump Marine Cartridge Submersible Bilge Pump series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|---------------------------------------|---------------------|-----------------------|----------|-----------|--------------|
| 01-02-002 | Cartridge Bilge Pump 500 GPH 12V | 500 GPH - 32 l/min | 400 GPH - 25 l/min | 1.8 A | 5 A | 3/4" |
| 01-02-003 | Cartridge Bilge Pump 750 GPH 12V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 2.7 A | 5 A | 3/4" |
| 01-02-004 | Cartridge Bilge Pump 750 GPH 24V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 1.5 A | 5 A | 3/4" |
| 01-02-005 | Cartridge Bilge Pump 1100 GPH 12V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-02-006 | Cartridge Bilge Pump 1100 GPH 24V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 2.5 A | 5 A | 1 1/8" fixed |
| 01-02-007 | Cartridge Bilge Pump Low 750 GPH 12V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 2.7 A | 5 A | 3/4" |
| 01-02-008 | Cartridge Bilge Pump Low 1100 GPH 12V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 4 A | 5 A | 1 1/8" fixed |

Albin Pump Marine Cartridge Aerator Pump series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|--|---------------------|-----------------------|----------|-----------|--------------|
| 01-05-078 | Cartridge Aerator Pump Angled 500 GPH 12V | 500 GPH - 32 l/min | 400 GPH - 25 l/min | 1.8 A | 5 A | 3/4" |
| 01-05-080 | Cartridge Aerator Pump Angled 750 GPH 12V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 2.7 A | 5 A | 3/4" |
| 01-05-082 | Cartridge Aerator Pump Angled 1100 GPH 24V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-077 | Cartridge Aerator Pump Straight 500 GPH 12V | 500 GPH - 32 l/min | 400 GPH - 25 l/min | 1.8 A | 5 A | 3/4" |
| 01-05-079 | Cartridge Aerator Pump Straight 750 GPH 12V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 2.7 A | 5 A | 3/4" |
| 01-05-081 | Cartridge Aerator Pump Straight 1100 GPH 12V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-074 | Twinport Aerator Pump 500 GPH 12V | 500 GPH - 32 l/min | 400 GPH - 25 l/min | 1.8 A | 5 A | 3/4" |
| 01-05-075 | Twinport Aerator Pump 750 GPH 12V | 750 GPH - 50 l/min | 660 GPH - 42 l/min | 2.7 A | 5 A | 3/4" |
| 01-05-076 | Twinport Aerator Pump 1100 GPH 12V | 1100 GPH - 75 l/min | 1000 GPH - 65 l/min | 4 A | 5 A | 1 1/8" fixed |

Albin Pump Marine LLC
 USA Main Office CT Office
 13280 SW 131 St. 52 Craigmoor Rd
 Suite 108 West Hartford, CT 06107
 Miami, FL 33186
 Phone: 860-670-1632
 Fax : 860-967-0703
 brad.burton@albinpumpmarine.com
 www.albinpumpmarine.com



Albin Pump Marine AB
 Head Office
 Mogölsvägen 16
 555 93 Jönköping
 Sweden
 Mobile phone : +46 (0)730 336 760
 olle.jonsson@albinpumpmarine.com
 www.albinpumpmarine.com

CARTRIDGE BILGE PUMPS and AERATOR PUMPS

Albin Pump Marine introduces a series of submersible Cartridge Bilge pumps and Aerator Pumps that are designed with the latest technology in order to meet with the requirements and standards from the marine industries: Sport fishing, racing, cruising as well as commercial duties.

The series is based on the well proven APM 12/24V motors for capacities 500 GPH, 750 GPH & 1100 GPH

- Easy to install
- Detachable-port connections
- Straight and 90 deg elbow hose connections
- Easy to clean
- Replaceable Cartridge Motor
- Stainless steel shaft
- Tough Termoplastic Housing
- Seawater resistant shaft seal

Albin Pump Marine Cartridge Submersible Bilge Pumps series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|---------------------------------------|--------------------|-----------------------|----------|-----------|--------------|
| 01-02-002 | Cartridge Bilge Pump 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-02-003 | Cartridge Bilge Pump 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-02-004 | Cartridge Bilge Pump 750 GPH 24V | 750 GPH - 50l/min | 660 GPH - 42l/min | 1.5 A | 5 A | 3/4" |
| 01-02-005 | Cartridge Bilge Pump 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-02-006 | Cartridge Bilge Pump 1100 GPH 24V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 2.5 A | 5 A | 1 1/8" fixed |
| 01-02-007 | Cartridge Bilge Pump Low 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-02-008 | Cartridge Bilge Pump Low 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |

Albin Pump Marine Cartridge Aerator Pumps series

| Part no. | Description | Capacity straight | Capacity 3 ft - 0.9 m | Amperage | Fuze size | Connection |
|-----------|--|--------------------|-----------------------|----------|-----------|--------------|
| 01-05-078 | Cartridge Aerator Pump Angled 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-080 | Cartridge Aerator Pump Angled 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-082 | Cartridge Aerator Pump Angled 1100 GPH 24V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-077 | Cartridge Aerator Pump Straight 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-079 | Cartridge Aerator Pump Straight 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-081 | Cartridge Aerator Pump Straight 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |
| 01-05-074 | Twinport Aerator Pump 500 GPH 12V | 500 GPH - 32l/min | 400 GPH - 25l/min | 1.8 A | 5 A | 3/4" |
| 01-05-075 | Twinport Aerator Pump 750 GPH 12V | 750 GPH - 50l/min | 660 GPH - 42l/min | 2.7 A | 5 A | 3/4" |
| 01-05-076 | Twinport Aerator Pump 1100 GPH 12V | 1100 GPH - 75l/min | 1000 GPH - 65l/min | 4 A | 5 A | 1 1/8" fixed |

